




Price list June 2024

Cell phone 072 132 3668
WhatsApp 072 132 3668
Email info@affordable-solutions.co.za
Website www.affordable-solutions.co.za

Facebook [Click here](#)
Youtube [Click here](#)
WhatsApp group [Click here](#)
Google Maps [Click here](#)

We are 16km from Brits and 10km from Hartbeespoort
On the R513 that is the Pretoria Noord – Hartbeespoort / Brits road
We are 2km from the De Wildt Cheetah Centre



Online price list on our website

The online price list is always updated with the valid prices
<https://www.affordable-solutions.co.za/Pricelist/index.html>

Cattle feeding troughs



Information, photos & short videos

[Click here](#)

Length x Width x Height

Steel thickness

2400 x 700 x 550

3000 x 700 x 550

4000 x 700 x 550

6000 x 700 x 550

Standard

1,6mm

2,0mm

R 1 900

R 2 050

R 2 050

R 2 250

R 2 500

R 2 700

R 3 200

R 3 500

Cattle feeding troughs with roofs



Information, photos & short videos

[Click here](#)

Length x Width x Height

Steel thickness

2400 x 700 x 550

3000 x 700 x 550

Standard

1,6mm

2,0mm

R 4 600

R 4 850

R 4 900

R 5 200

Cattle feeding troughs with feedlot frames



Information, photos & short videos

[Click here](#)

Length x Width x Height

Steel thickness

Standard

1,6mm

2,0mm

2400 x 700 x 550

R 2 700

R 2 900

3000 x 700 x 550

R 2 950

R 3 150

4000 x 700 x 550

R 3 700

R 3 900

6000 x 700 x 550

R 4 600

R 5 000

Cattle water troughs



Information, photos & short videos

[Click here](#)

Length x Width x Height

2400 x 700 x 550

R 2 150

3000 x 700 x 550

R 2 300

4000 x 700 x 550

R 2 750

6000 x 700 x 550

R 3 400

Calf feeding troughs



[Information, photos & short videos](#)

[Click here](#)

Length x Width x Height

2400 x 500 x 400

R 1 450

3000 x 500 x 400

R 1 550

4000 x 500 x 400

R 1 900

6000 x 500 x 400

R 2 450

Calf feeding troughs with roofs

2400 x 500 x 400

R 3 700

3000 x 500 x 400

R 4 050

Calf water troughs



[Information, photos & short videos](#)

[Click here](#)

Length x Width x Height

2400 x 500 x 400

R 1 800

3000 x 500 x 400

R 1 900

4000 x 500 x 400

R 2 200

6000 x 500 x 400

R 2 750

Calf creep feed gates & and creep feed kraals



Information, photos & short videos [Click here](#)

Length x Height


Calf creep feed gates

2000 x 1550	R 1 550
2500 x 1550	R 1 650
3000 x 1550	R 1 850

Panels for creep feed kraals

2000 x 1600	R 1 300
2500 x 1600	R 1 450
3000 x 1600	R 1 550

Cattle neck clamps



Information, photos & short videos [Click here](#)

The working parts are build with 10mm to 20mm thick solid steel
Neck clamps are build with 50x50 square tube with thickness of 3mm or 5mm

3mm thick 50x50 square tube	R 11 000
5mm thick 50x50 square tube	R 15 500

Cattle kraals & crush panels, and farm gates



Information, photos & short videos [Click here](#)

Panels for kraals and crush

Length x Height	Thickness	1,6mm	2mm	3mm
1500 x 1600		R 1 150	R 1 300	R 1 700
2000 x 1600		R 1 250	R 1 450	R 1 950
2500 x 1600		R 1 450	R 1 600	R 2 200
3000 x 1600		R 1 550	R 1 750	R 2 400
4000 x 1600		R 1 750	R 2 000	R 2 850

Panels with 0,8 meters swing gates for kraals

Length x Height	Thickness	1,6mm	2mm	3mm
1500 x 1600		R 1 750	R 1 950	R 2 550
2000 x 1600		R 1 850	R 2 100	R 2 750
2500 x 1600		R 2 000	R 2 250	R 3 000
3000 x 1600		R 2 100	R 2 400	R 3 250
4000 x 1600		R 2 300	R 2 650	R 3 650

Panels with 2,4 meters swing gates for kraals

Length x Height	Thickness	1,6mm	2mm	3mm
2500 x 1600		R 2 450	R 2 900	R 4 000
3000 x 1600		R 2 550	R 3 050	R 4 200
4000 x 1600		R 2 800	R 3 300	R 4 650

Panels with 3 meters swing gates for kraals

Length x Height	Thickness	1,6mm	2mm	3mm
3000 x 1600		R 2 500	R 2 950	R 4 050
4000 x 1600		R 2 900	R 3 400	R 4 850

Support panels to connect the panels of the crush

Length x Height	Thickness	1,6mm	2mm	3mm
		R 1 000	R 1 150	R 1 450

Farm swing gates

Length x Height	Thickness	1,6mm	2mm	3mm
2500 x 1500		R 1 450	R 1 650	R 2 150
3000 x 1500		R 1 600	R 1 800	R 2 350
4000 x 1500		R 1 800	R 2 050	R 2 800

Cattle bale baskets for round bales



Information, photos & short videos [Click here](#)

Length x Width x Height
1600 x 1500 x 1100

R 2 800

Salt lick stands with extra frame



Information, photos & short videos [Click here](#)

Length x Width x Height
430 x 430 x 150

R 350

Sheep feeding troughs



Information, photos & short videos

[Click here](#)

Length x Width x Height

2400 x 500 x 300

R 1 400

3000 x 500 x 300

R 1 500

4000 x 500 x 300

R 1 850

6000 x 500 x 300

R 2 350

Sheep feeding troughs - 300mm wide



Information, photos & short videos

[Click here](#)

Length x Width x Height

2400 x 300 x 300

R 1 200

3000 x 300 x 300

R 1 300

4000 x 300 x 300

R 1 600

6000 x 300 x 300

R 2 050

Sheep feeding troughs with roofs



Information, photos & short videos

[Click here](#)

Length x Width x Height

2400 x 500 x 300

R 3 500

3000 x 500 x 300

R 3 900

Sheep feeding troughs with lusern baskets



Information, photos & short videos

[Click here](#)

Length x Width x Height

2000 x 500 x 300

R 2 400

2400 x 500 x 300

R 2 650

3000 x 500 x 300

R 2 850

Sheep lambs feeding troughs



Information, photos & short videos

[Click here](#)

Length x Width x Height

1500 x 300 x 300

R 1 300

2000 x 300 x 300

R 1 400

2500 x 300 x 300

R 1 550

3000 x 300 x 300

R 1 700

Sheep water troughs



Information, photos & short videos

[Click here](#)

Length x Width x Height

2400 x 500 x 300

R 1 800

3000 x 500 x 300

R 1 900

4000 x 500 x 300

R 2 200

6000 x 500 x 300

R 2 700

Sheep lambing pens, kraals and crush panels



Information, photos & short videos [Click here](#)

Panel without gates

1500 x 900	R 700
2000 x 900	R 750
3000 x 900	R 900

Panels with swing gates

1500 x 900	R 850
2000 x 900	R 900
3000 x 900	R 1 050

Sheep lamb creep feed gates & creep feed kraals



Information, photos & short videos [Click here](#)

Lamb creep feed gates

1500 x 900	R 900
2000 x 900	R 950
3000 x 900	R 1 150

Panels for creep feed kraals

1500 x 900	R 700
2000 x 900	R 750
3000 x 900	R 900

Sheep work stations



Information, photos & short videos [Click here](#)

Without a scale R 8 150
With loadcell scale and LED monitor R 12 000

Sheep foot dip



Information, photos & short videos [Click here](#)

Length x Width x Height
2000 x 600 x 1100 R 4 000
3000 x 600 x 1100 R 4 750
Optional extra – 32mm ball valve R 350

Sheep foot dip spray race tunnel



Information, photos & short videos [Click here](#)

Pump choices

12 Volt pump

0,37Kw electric pressure pump

Length x Width x Height

2000 x 600 x 1100 - 6 sprayers R 11 350

2400 x 600 x 1100 - 9 sprayers R 12 350

Optional extra – 32mm ball valve R 350

Sheep bale basket for round bales



Information, photos & short videos [Click here](#)

Length x Width x Height

1600 x 1500 x 1100 R 2 950

Sheep salt lick stands



Information, photos & short videos

[Click here](#)

Without extra frame

R 300

With an extra frame

R 350

Goats feeding troughs



Information, photos & short videos

[Click here](#)

Length x Width x Height

2000 x 500 x 900

R 1 450

2400 x 500 x 900

R 1 550

3000 x 500 x 900

R 1 850

Goats feeding troughs with roofs



Information, photos & short videos

[Click here](#)

Length x Width x Height

2000 x 500 x 900

R 3 450

2400 x 500 x 900

R 3 750

3000 x 500 x 900

R 4 100

Goats feed troughs 300mm & 500 mm wide



Information, photos & short videos

[Click here](#)

Length x Width x Height

2400 x 300 x 300

R 1 200

3000 x 300 x 300

R 1 300

4000 x 300 x 300

R 1 600

6000 x 300 x 300

R 2 050

2400 x 500 x 300

R 1 400

3000 x 500 x 300

R 1 500

4000 x 500 x 300

R 1 850

6000 x 500 x 300

R 2 350

Goats feeding troughs with lusern baskets



Information, photos & short videos

[Click here](#)

Length x Width x Height

2000 x 500 x 900

R 2 550

2400 x 500 x 900

R 2 750

3000 x 500 x 900

R 3 100

2000 x 500 x 300

R 2 400

2400 x 500 x 300

R 2 650

3000 x 500 x 300

R 2 850

Goats lambs feeding troughs



Information, photos & short videos

[Click here](#)

Length x Width x Height

1500 x 300 x 300

R 1 300

2000 x 300 x 300

R 1 400

2400 x 300 x 300

R 1 550

3000 x 300 x 300

R 1 700

Goats water troughs



Information, photos & short videos [Click here](#)

Length x Width x Height

2400 x 500 x 300

R 1 800

3000 x 500 x 300

R 1 900

4000 x 500 x 300

R 2 200

6000 x 500 x 300

R 2 700

Goats salt lick stands



Information, photos & short videos [Click here](#)

Length x Width x Height

430 x 430 x 150

R 300

430 x 430 x 150 with extra frame

R 350

Goats lambing pens, kraals and crush panels



Information, photos & short videos [Click here](#)

Panels without gates

1500 x 1200	R 700
2000 x 1200	R 750
3000 x 1200	R 900

Panels with swing gates

1500 x 1200	R 900
2000 x 1200	R 950
3000 x 1200	R 1 100

Goat lambs creep feed gates & creep feed kraals



Information, photos & short videos [Click here](#)

Lambs creep feed gates

1500 x 1200	R 950
2000 x 1200	R 1 000
3000 x 1200	R 1 250

Panels for creep feed kraals

1500 x 1200	R 700
2000 x 1200	R 750
3000 x 1200	R 900

Goats work stations



Information, photos & short videos [Click here](#)

Without a scale R 8 150

With loadcell scale & LED monitor R 12 000

Goats foot dip



Information, photos & short videos [Click here](#)

Length x Width x Height

2000 x 600 x 1100 R 4 000

3000 x 600 x 1100 R 4 750

Optional extra – 32mm ball valve R 350

Goats foot dip spray race tunnel



Information, photos & short videos [Click here](#)

Pump choice
12 Volt pump
0,37Kw elektrik pressure pump

Length x Width x Height	
2000 x 600 x 1100 - 6 sprayers	R 11 350
2400 x 600 x 1100 - 9 sprayers	R 12 350
Optional extra – 32mm ball valve	R 350

Goat bale baskets for round bales



Information, photos & short videos [Click here](#)

Length x Width x Height	
1600 x 1500 x 1100	R 2 950

Wildlife feeding troughs



Information, photos & short videos

[Click here](#)

Length x Height

700 wide 500 wide

1500 x 400

R 1 500

R 1 250

2000 x 400

R 1 600

R 1 300

2400 x 400

R 1 800

R 1 450

3000 x 400

R 1 950

R 1 550

Wildlife feeding troughs with roofs



Information, photos & short videos

[Click here](#)

Length x Height

700 wide

500 wide

1500 x 400

R 3 900

R 3 200

2000 x 400

R 4 300

R 3 450

2400 x 400

R 4 400

R 3 650

3000 x 400

R 4 600

R 4 000

Wildlife feeding troughs with dip rollers



Information, photos & short videos

[Click here](#)

Length x Height	700 wide	500 wide
1500 x 400 adjust to 700 high	R 2 450	R 2 150
2000 x 400 adjust to 700 high	R 2 650	R 2 300
2400 x 400 adjust to 700 high	R 3 000	R 2 550
3000 x 400 adjust to 700 high	R 3 200	R 2 750
From 500 high up to 900 high	+ R 100	+ R 100

Wildlife feed troughs with dip rollers and roofs



Information, photos & short videos

[Click here](#)

Length x Height	700 wide	500 wide
1500 x 400 adjust to 700 high	R 4 400	R 3 750
2000 x 400 adjust to 700 high	R 4 900	R 4 300
2400 x 400 adjust to 700 high	R 5 400	R 4 650
3000 x 400 adjust to 700 high	R 5 650	R 4 950
From 500 high to 900 high	+ R 100	+ R 100

Wildlife water troughs



Information, photos & short videos

[Click here](#)

Length x Height

1500 x 400

2000 x 400

2400 x 400

3000 x 400

700 wide

R 1 900

R 2 000

R 2 200

R 2 300

500 wide

R 1 600

R 1 650

R 1 800

R 1 950

Wildlife salt and game lick stands



Information, photos & short videos

[Click here](#)

Length x Width x Height

430 x 430 x 150

430 x 430 x 150 with extra frame

R 300

R 350

Standard picnic tables



Information, photos & short videos [Click here](#)

6 Seater :: 1,5 meters long R 3 100

8 Seater :: 2 meters long R 3 350

Square picnic tables



Information, photos & short videos [Click here](#)

8 Seater :: 2,2 x 2,2 meters R 4 000

10 Seater :: 2,2 x 2,6 meters R 4 200

12 Seater :: 2,6 x 2,6 meters R 4 750

Placing an order

All the products are build oon order.

Deposito of 70% is payable, with which steel and other materials are bought.

Balance is payable when the order is build and ready for collection.

Send the following information by email or WhatsApp, if you want to place an order.

We will send you a quotation. Invoice will be send on receipt of the balance payment.

- Business name, or person name for invoice.
- Postal address
- Contact person name, surname and phone number
- Email address :: (we do not send marketing emails)
- The order that you want to make

Transport and delivery

Buyer must arrange for transport.

We do not do transport ourselves, but can help arrange transport if needed.

There are people who regularly do transport for us.

All payments must be made direct to the transporter, and not to us.

List of transporters – [Click here](#)

Contact us

Cell phone	072 132 3668
WhatsApp	072 132 3668
Email address	info@affordable-solutions.co.za
Website	www.affordable-solutions.co.za
Facebook	Click here
Youtube	Click here
Google maps	Click here